

Test by: Performance Crop Research Great Bend, KS

## 2026 Corn Grain Top 30 Harvest Report

Kansas Central [KSCE] PRATT, KS

Mark Finchman, Pratt County, KS

|                                 |                                                                                      |
|---------------------------------|--------------------------------------------------------------------------------------|
| <b>All-Season Test</b>          | <b>107 - 118</b> Day CRM<br>B2026KSCE03                                              |
| <b>Top 24 of 24</b>             | For Gross Income<br>(Sorted by Yield)<br>Average of <b>(4)</b> Replications          |
| <b>PREV. CROP/HERB:</b>         | Corn / Lexar Ez, Roundup                                                             |
| <b>SOIL DESCRIPTION:</b>        | Hayes sandy loam, well drained,<br>irrigated                                         |
| <b>SOIL CONDITION:</b>          | No-Till, 6.6 pH, 2.2% OM, 6.74<br>CEC, high P, high K, low S, high<br>B, high Zn     |
| <b>CROP PROTECTION:</b>         | Lexar Ez @ Pre + Post (H),<br>Roundup Powermax @ Pre +<br>Post (H)                   |
| <b>FERTILITY - Applied N:</b>   | 50 Planter, 30 Sidedress, 160<br>Foliar Rescue, KTS @ 5 gal/A<br>Thio-Sul @ 10 gal/A |
| <b>Applied N-P-K (units):</b>   | 240-2-15                                                                             |
| <b>SEEDED - RATE - ROW:</b>     | Apr 17 28.0 /A 30" spacing                                                           |
| <b>HARVESTED - STAND:</b>       | Sep 7 26.4 /A                                                                        |
| <b>PEST &amp; DISEASE RISK:</b> | Pythium*                                                                             |

### TEST COMMENTS:

*This progressive farmer focused on high ROI and soil biology over just yield results. Planting went smoothly and on time for this site. Emergence looked great at early-season checks. There was a D2-level drought, but the farmer did a great job of managing irrigation to reduce stress as much as possible. Above-average temperatures in the area coincided with limited rainfall. The field site was uniform, maintained, weed and disease free. There was one fungicide app at VT, and no insect pressure was observed.*

| Company/Brand  | Product/Brand       | Technol.† | RM  | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|---------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Taylor         | 2212PCE ↗           | PCE       | 112 | <b>273.1</b> | 13.2       | 0         | 25.1           | 1415                 | 1    |
| Integra        | 6386 PCE ↗          | PCE       | 113 | <b>245.6</b> | 12.0       | 0         | 26.1           | 1272                 | 2    |
| Taylor         | 6025TRE ↗           | TRE       | 117 | <b>243.5</b> | 16.3       | 0         | 26.3           | 1246                 | 6    |
| Taylor         | 6040TRE ↗           | TRE       | 114 | <b>243.4</b> | 15.5       | 0         | 26.1           | 1254                 | 4    |
| Taylor         | 6015TRE ↗           | TRE       | 115 | <b>242.2</b> | 14.8       | 0         | 27.0           | 1255                 | 3    |
| Integra        | 6624 TRERIB ↗       | TRE       | 116 | <b>242.0</b> | 15.5       | 0         | 26.2           | 1248                 | 5    |
| Integra        | 6577 TRERIB ↗       | TRE       | 115 | 240.3        | 15.5       | 0         | 25.9           | 1238                 | 8    |
| Taylor         | 9951VT2P ↗          | VT2P      | 115 | 239.6        | 13.4       | 0         | 26.4           | 1241                 | 7    |
| Becks          | 6574TCV2N GC ↗      | TRE       | 115 | 238.9        | 14.6       | 0         | 26.8           | 1238                 | 9    |
| Pioneer        | P13777PCUE GC ↗     | PCUE      | 113 | 235.8        | 15.1       | 0         | 26.0           | 1220                 | 10   |
| Taylor         | EXP C-116-27TRE ↗   | TRE       | 116 | 232.9        | 14.4       | 0         | 27.7           | 1206                 | 11   |
| DeKalb         | DKC68-35RIB GC ↗    | VT2P      | 118 | 225.3        | 15.6       | 0         | 25.6           | 1160                 | 12   |
| Becks          | 6414V2P GC ↗        | VT2P      | 114 | 223.5        | 12.3       | 0         | 27.1           | 1158                 | 13   |
| Channel        | 207-87VT2PRIB GC ↗  | VT2P      | 107 | 220.8        | 10.9       | 0         | 26.5           | 1144                 | 14   |
| Golden Harvest | G11V76-D GC ↗       | D         | 111 | 220.4        | 11.3       | 0         | 27.7           | 1142                 | 15   |
| Channel        | 214-78DGV2PRIB GC ↗ | VT2PDG    | 114 | 217.6        | 15.7       | 0         | 26.2           | 1119                 | 17   |
| Taylor         | 4412VT4P ↗          | VT4P      | 112 | 216.2        | 12.5       | 0         | 26.5           | 1120                 | 16   |
| DeKalb         | DKC62-70RIB GC ↗    | VT2P      | 112 | 215.9        | 13.1       | 0         | 27.0           | 1118                 | 18   |
| Ohlde          | O29-14 GC ↗         | VT2P      | 114 | 215.0        | 13.1       | 0         | 25.1           | 1114                 | 19   |
| Pioneer        | P09076PCE GC ↗      | PCE       | 109 | 214.9        | 12.5       | 0         | 27.3           | 1113                 | 20   |
| Integra        | 6365 SSPRO ↗        | STXP      | 113 | 210.8        | 13.3       | 0         | 26.1           | 1092                 | 21   |
| Taylor         | EXP C-112F-27STXP ↗ | STXP      | 112 | 210.4        | 15.5       | 0         | 27.6           | 1085                 | 22   |
| Becks          | 6549VZ GC ↗         | VZ        | 115 | 208.4        | 13.6       | 0         | 26.8           | 1080                 | 23   |
| Golden Harvest | G09Y24-DV GC ↗      | DVZ       | 109 | 202.9        | 11.0       | 0         | 25.1           | 1051                 | 24   |

|                                    |  |  |  |                          |              |              |    |                      |             |
|------------------------------------|--|--|--|--------------------------|--------------|--------------|----|----------------------|-------------|
|                                    |  |  |  | <b>Averages =</b>        | <b>227.9</b> | <b>13.8</b>  |    | <b>26.4</b>          | <b>1180</b> |
|                                    |  |  |  | <b>LSD (0.10) =</b>      | 13.8         | 1.0          | ns |                      |             |
|                                    |  |  |  | <b>LSD (0.25) =</b>      | 7.2          | 0.5          | ns |                      |             |
|                                    |  |  |  | <b>C.V. =</b>            | 6.6          |              |    |                      |             |
|                                    |  |  |  | Historic yield: new site |              |              |    |                      |             |
| <b>Yield &amp; Income Factors:</b> |  |  |  | Base Moisture = 15.0%    |              | Shrink = 1.3 |    | Drying = \$0.05      |             |
|                                    |  |  |  |                          |              |              |    | Prices: GMO = \$5.18 |             |

Report Date: Sept. 7, 2026

Revised: 09/08/2026 EarthOptics soil analysis has been added.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*EarthOptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Kansas Central [ KSCE ]

Weather Conditions Summary at PRATT, KS


Weather Data Retrieved: 09/08/2026




\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


### Macronutrients




### Micronutrients



### Biofertility Analytics



### Below Ground Pest & Disease - Corn



### Above Ground Pest & Disease - Corn



### More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

## 2026 Corn - Kansas Central [ KSCE ]

### All-Season Test Products (24 Total)

| Company/Brand  | Product/Brand     | Technology | RIB | RM  | Seed Treat.   |
|----------------|-------------------|------------|-----|-----|---------------|
| Becks          | 6414V2P           | VT2P       | Y   | 114 | Treated       |
| Becks          | 6549VZ            | VZ         | Y   | 115 | Treated       |
| Becks          | 6574TCV2N         | TRE        | Y   | 115 | Treated       |
| Channel        | 207-87VT2PRIB     | VT2P       | Y   | 107 | AC,P5V,EDC-EL |
| Channel        | 214-78DGV2PRIB    | VT2PDG     | Y   | 114 | AC,P5V,EDC-EL |
| DeKalb         | DKC62-70RIB       | VT2P       | Y   | 112 | AC,P5V,EDC-EL |
| DeKalb         | DKC68-35RIB       | VT2P       | Y   | 118 | AC,P5V,EDC-EL |
| Golden Harvest | G09Y24-DV         | DVZ        | Y   | 109 | CM,C5,Vi,Va   |
| Golden Harvest | G11V76-D          | D          | Y   | 111 | CM,C5,Vi,Va   |
| Integra        | 6365 SSPRO        | STXP       | Y   | 113 | AC,P5V,SU     |
| Integra        | 6386 PCE          | PCE        | Y   | 113 | AC,P5,N314,SU |
| Integra        | 6577 TRERIB       | TRE        | Y   | 115 | AC,P5,N314    |
| Integra        | 6624 TRERIB       | TRE        | Y   | 116 | AC,P5V,SU     |
| Ohlde          | O29-14            | VT2P       | Y   | 114 | Treated       |
| Pioneer        | P09076PCE         | PCE        | Y   | 109 | Lum, L1       |
| Pioneer        | P13777PCUE        | PCUE       | Y   | 113 | Lum, L1       |
| Taylor         | 2212PCE           | PCE        | Y*  | 112 | CM,Vi         |
| Taylor         | 4412VT4P          | VT4P       | Y*  | 112 | CM,Vi         |
| Taylor         | 6015TRE           | TRE        | N   | 115 | CM,Vi         |
| Taylor         | 6025TRE           | TRE        | Y   | 117 | CM,Vi         |
| Taylor         | 6040TRE           | TRE        | Y   | 114 | CM,Vi         |
| Taylor         | 9951VT2P          | VT2P       | Y*  | 115 | CM,Vi         |
| Taylor         | EXP C-112F-27STXP | STXP       | N   | 112 | CM,Vi         |
| Taylor         | EXP C-116-27TRE   | TRE        | N   | 116 | CM,Vi         |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

- 
- CK Identifies a check product included in early- and full-season tests.  
GC Grower Comparison product included by FIRST when space permits.  
^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

- 
- D Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122  
DVZ DuracadeViptera™ Z3 (Vip,CB,VTP,RW,RW2,LL,GT), formerly Agrisure Duracade® 5332  
PCE PowerCore® Enlist®  
PCUE PowerCore® Ultra Enlist®  
STXP SmartStax® Pro with RNAi Technology  
TRE Trecepta®  
VT2P VT Double PRO®  
VT2PDG DroughtGard® with VT Double PRO®  
VT4P VT4Pro™ with RNAi Technology  
VZ Viptera™ Z3 (Vip,CB,VTP,LL,GT), formerly Agrisure Viptera® 3330

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

### Corn Seed Treatments\*

- 
- AC,P5,N314 Acceleron® Poncho 500, N-314  
AC,P5,N314,SU Acceleron® Poncho 500, N-314 STEPUP  
AC,P5V,EDC-EL Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control  
AC,P5V,SU Acceleron® Poncho 500/Votivo, StepUp  
CM,C5,Vi,Va CruiserMaxx® 500 with Vibrance, Vayantis®  
CM,Vi CruiserMaxx®, Vibrance  
Lum, L1 LumiGEN, Lumisure 1250  
Treated Treated seed, unspecified

---

\* Seed treatments may include unspecified plant health promoting components.