

Test by: Northern Ag Research, LLC ,

2026 Soybeans Top 30 Harvest Report

Iowa North Central [IANC] VENTURA, IA

Brent Renner, Cerro Gordo County, IA

Early-Season Test	Maturity Group 1.6 - 2.2 S2026IANC01a
Top 25 of 25	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Corn / Staunch, Atrazine, Impact
SOIL DESCRIPTION:	Harps clay loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	6.8 pH, 5.72% OM, 15.11 CEC, high P, high K, low S, high B, high Zn
TILLAGE/CULTIVATION:	No-Till
CROP PROTECTION:	Liberty (H), Enlist (H)
Applied N-P-K (units):	0-0-100
SEEDED - RATE - ROW:	May 2 140.0 /A 30" spacing
HARVESTED - STAND:	Oct 13 126.6 /A
PEST & DISEASE RISK:	SDS, Brown Stem Rot*

TEST COMMENTS:

This no-till plot was planted in perfect conditions on May 2nd. Early July brought multiple heavy rains (including nearly 7" in one week) before turning dry for the remainder of July and August. This dry stretch may have impacted pod fill. Plants were generally shorter in stature, with sporadic lodging across the plot and some green leaves and stems at harvest. Thank you to Brent for hosting the plot.

Company/Brand	Product/Brand	Technol.†	RM	SCN Resist.	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Apex	AE2270 ↗	E3	2.2	PK	72.0	8.7	1	125.7	882	1
Hoegemeyer	2395E^ ↗	E3	2.3	PK	69.6	8.6	3	126.0	853	2
Stine	20EH92 ↗	E3	2.0	M	69.2	8.7	6	128.7	848	3
Genesis	G2210E ↗	E3	2.2	PK	69.1	9.1	7	128.0	846	4
Hoegemeyer	2056E ↗	E3	2.0	PK	68.1	8.7	4	128.3	834	5
Xitavo	XO 2087E ↗	E3	2.0	M	66.8	9.0	5	127.7	818	6
Xitavo	XO 1776E ↗	E3	1.7	M	66.3	10.6	3	126.0	812	7
Apex	AE2170 ↗	E3	2.1	M	66.2	10.4	19	126.3	811	8
P3 Genetics	2719E ↗	E3	1.9	M	66.1	10.8	0	127.7	810	9
Genesis	G2110E ↗	E3	2.1	M	65.7	9.1	18	128.3	805	10
Stine	19EK20 ↗	E3	1.9	M	65.1	8.2	0	128.5	797	11
Xitavo	XO 1837E ↗	E3	1.8	M	65.0	9.3	3	128.0	796	12
P3 Genetics	2721E ↗	E3	2.1	M	64.5	8.9	25	125.7	790	13
FS HiSOY	HS 20E40 ↗	E3	2.0	M	63.8	8.7	3	127.3	782	14
P3 Genetics	2718E ↗	E3	1.8	M	63.5	9.0	10	126.7	778	15
Xitavo	XO 1986E ↗	E3	1.9	M	63.3	9.5	14	128.3	775	16
FS HiSOY	HS 18E30 ↗	E3	1.8	PK	62.5	8.5	4	125.0	766	17
Jacobsen	J1685E3 ↗	E3	1.6	M	62.0	8.8	18	123.7	760	18
Genesis	G1910E ↗	E3	1.9	M	61.3	8.5	3	126.3	751	19
Pioneer	P16Z25E GC ↗	E3	1.6	NA	60.9	8.0	2	125.0	746	20
Xitavo	XO 2075E ↗	E3	2.0	PK	59.9	10.8	3	127.0	734	22
Hoegemeyer	1937E ↗	E3	1.9	PK	59.3	9.9	2	125.7	726	23
Connect	CT1825E GC ↗	E3	1.8	PK	58.1	9.3	5	122.7	712	24
Alloy	A18E35 GC ↗	E3	1.8	NA	55.7	9.4	7	126.3	682	25
PIONEER	P17Z39E CK	E3	1.7	PK	60.0	8.4	3	126.7	735	21
					Averages =	64.2	9.2	7	126.6	786
					LSD (0.10) =	3.6	1.0	7		
					LSD (0.25) =	1.9	0.5	4		
Matt Dahle					C.V. =	5.3	Historic yield: 57.34 bu/a, 1 yr(s)			
matt.dahle@firstseedtests.com, (507) 475-1240										

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.0 Drying = \$0.05 Prices: GMO = \$12.25

Report Date: Oct. 14, 2026

Revised: 10/17/2026 Updated Hoegemeyer variety name

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Northern Ag Research, LLC ,

2026 Soybeans Top 30 Harvest Report

Iowa North Central [IANC] VENTURA, IA

Brent Renner, Cerro Gordo County, IA

Full-Season Test	Maturity Group 2.3 - 2.9 S2026IANC01b
Top 26 of 26	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Corn / Staunch, Atrazine, Impact
SOIL DESCRIPTION:	Harps clay loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	6.8 pH, 5.72% OM, 15.11 CEC, high P, high K, low S, high B, high Zn
TILLAGE/CULTIVATION:	No-Till
CROP PROTECTION:	Liberty (H), Enlist (H)
Applied N-P-K (units):	0-0-100
SEEDED - RATE - ROW:	May 2 140.0 /A 30" spacing
HARVESTED - STAND:	Oct 13 127.4 /A
PEST & DISEASE RISK:	SDS, Brown Stem Rot*

TEST COMMENTS:

This no-till plot was planted in perfect conditions on May 2nd. Early July brought multiple heavy rains (including nearly 7" in one week) before turning dry for the remainder of July and August. This dry stretch may have impacted pod fill. Plants were generally shorter in stature, with sporadic lodging across the plot and some green leaves and stems at harvest. Thank you to Brent for hosting the plot.

Company/Brand	Product/Brand	Technol.†	RM	SCN Resist.	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
P3 Genetics	2626E ↗	E3	2.6	PK	70.0	9.4	3	128.3	858	1
Alloy	A24E37 GC ↗	E3	2.4	NA	68.2	9.0	2	129.0	835	2
Hoegemeyer	2697E ↗	E3	2.6	PK	66.9	8.9	3	129.7	820	3
Hoegemeyer	2905E ↗	E3	2.9	PK	66.7	8.5	3	129.3	817	4
FS HiSOY	HS 29E60 ↗	E3	2.9	PK	66.5	10.0	2	128.0	815	5
Fortus	2846ES ↗	E3,ST	2.8	M	66.1	8.3	0	127.7	810	6
Hoegemeyer	2876E ↗	E3	2.8	M	65.5	8.9	1	128.5	802	7
FS HiSOY	HS 25E30 ↗	E3	2.5	PK	64.6	8.8	7	128.3	791	8
Fortus	2775ES ↗	E3,ST	2.7	PK	64.5	10.3	8	126.7	790	9
Genesis	G2410E ↗	E3	2.4	PK	64.5	8.1	2	125.5	790	10
Pioneer	P23Z58E GC ↗	E3	2.3	n/a	64.1	9.5	6	127.3	785	11
Renk	RS266E ↗	E3	2.6	M	63.9	10.5	1	127.7	783	12
Hoegemeyer	2547E ↗	E3	2.5	PK	63.9	8.1	3	128.3	783	13
Hoegemeyer	2405E ↗	E3	2.4	PK	63.6	8.8	0	127.3	779	14
FS HiSOY	HS 24E60 ↗	E3	2.4	M	63.2	9.2	5	126.0	774	15
P3 Genetics	2623E ↗	E3	2.2	M	62.7	9.7	3	126.7	768	16
Xitavo	XO 2556E ↗	E3	2.5	PK	62.1	8.7	1	128.0	761	17
Apex	AE2360 ↗	E3	2.3	M	62.1	9.8	0	126.0	761	18
Xitavo	XO 2366E ↗	E3	2.3	M	61.3	8.8	2	126.7	751	19
Apex	AE2770 ↗	E3	2.7	M	61.0	9.6	1	125.7	747	20
FS HiSOY	HS 23E40 ↗	E3	2.3	PK	59.4	8.7	2	128.7	728	21
Xitavo	XO 2777E ↗	E3	2.7	M	59.0	8.9	0	127.3	723	22
FS HiSOY	HS 28E50 ↗	E3	2.8	M	58.0	8.6	0	126.7	710	24
Apex	AE2860 ↗	E3	2.8	M	55.7	10.1	1	128.0	682	25
P3 Genetics	2724E ↗	E3	2.4	M	52.6	8.4	1	125.5	644	26
PIONEER	P17Z39E CK	E3	1.7	PK	58.5	8.7	2	126.3	717	23
					Averages =	62.9	9.1	2	127.4	770
					LSD (0.10) =	3.4	ns	ns		
					LSD (0.25) =	1.8	ns	ns		
Matt Dahle										
matt.dahle@firstseedtests.com, (507) 475-1240					C.V. =	5.2	Historic yield: 57.34 bu/a, 1 yr(s)			
Yield & Income Factors:			Base Moisture = 13.0%		Shrink = 1.0		Drying = \$0.05		Prices: GMO = \$12.25	

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: Oct. 14, 2026


Revised: 10/17/2026 Updated Hoegemeyer variety name

Additional reports available at www.firstseedtests.com

2026 Soybeans - Iowa North Central [IANC]

Weather Conditions Summary at VENTURA, IA


Weather Data Retrieved: 10/17/2026




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Soybeans



Above Ground Pest & Disease - Soybeans



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2026 Soybeans - Iowa North Central [IANC]

Early-Season Test Products (25 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Alloy	A18E35	E3	NA	1.8	NA
Apex	AE2170	E3	M	2.1	C3FI,VI,TU,A3
Apex	AE2270	E3	PK	2.2	C3FI,VI,TU,A3
Connect	CT1825E	E3	PK	1.8	NA
FS HiSOY	HS 18E30	E3	PK	1.8	ACi,SA
FS HiSOY	HS 20E40	E3	M	2.0	ACi,SA
Genesis	G1910E	E3	M	1.9	Treated
Genesis	G2110E	E3	M	2.1	STXPC 2.0, VI
Genesis	G2210E	E3	PK	2.2	Treated
Hoegemeyer	1937E	E3	PK	1.9	Lum,Lu,lud,il
Hoegemeyer	2056E	E3	PK	2.0	Lum,Lu,lud,il
Hoegemeyer	2395E^	E3	PK	2.3	Lum,Lu,lud,il
Jacobsen	J1685E3	E3	M	1.6	Treated
P3 Genetics	2718E	E3	M	1.8	PGVO
P3 Genetics	2719E	E3	M	1.9	PGVO
P3 Genetics	2721E	E3	M	2.1	PGVO
Pioneer	P16Z25E	E3	NA	1.6	Untreated
Pioneer	P17Z39E	E3	PK	1.7	Untreated
Stine	19EK20	E3	M	1.9	STXPC 2.0, VI
Stine	20EH92	E3	M	2.0	STXPC 2.0, VI
Xitavo	XO 1776E	E3	M	1.7	PV,IL,OB,Rey
Xitavo	XO 1837E	E3	M	1.8	PV,IL,OB,Rey
Xitavo	XO 1986E	E3	M	1.9	PV,IL,OB,Rey
Xitavo	XO 2075E	E3	PK	2.0	PV,IL,OB,Rey
Xitavo	XO 2087E	E3	M	2.0	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Soybeans - Iowa North Central [IANC]

Full-Season Test Products (26 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Alloy	A24E37	E3	NA	2.4	NA
Apex	AE2360	E3	M	2.3	Treated
Apex	AE2770	E3	M	2.7	PDU,Vt
Apex	AE2860	E3	M	2.8	PDU,Sa
Fortus	2775ES	E3,ST	PK	2.7	ACi,SU2,VI
Fortus	2846ES	E3,ST	M	2.8	ACi,SU2,VI
FS HiSOY	HS 23E40	E3	PK	2.3	ACi,SA
FS HiSOY	HS 24E60	E3	M	2.4	ACi,SA
FS HiSOY	HS 25E30	E3	PK	2.5	ACi,SA
FS HiSOY	HS 28E50	E3	M	2.8	ACi,SA
FS HiSOY	HS 29E60	E3	PK	2.9	ACi,SA
Genesis	G2410E	E3	PK	2.4	Treated
Hoegemeyer	2405E	E3	PK	2.4	Lum,Lu,lud,il
Hoegemeyer	2547E	E3	PK	2.5	Lum,Lu,lud,il
Hoegemeyer	2697E	E3	PK	2.6	Lum,Lu,lud,il
Hoegemeyer	2876E	E3	M	2.8	Lum,Lu,lud,il
Hoegemeyer	2905E	E3	PK	2.9	Lum,Lu,lud,il
P3 Genetics	2623E	E3	M	2.2	PGVO
P3 Genetics	2626E	E3	PK	2.6	PGVO
P3 Genetics	2724E	E3	M	2.4	PGVO
Pioneer	P17Z39E	E3	PK	1.7	Untreated
Pioneer	P23Z58E	E3	NA	2.3	Untreated
Renk	RS266E	E3	M	2.6	Treated
Xitavo	XO 2366E	E3	M	2.3	PV,IL,OB,Rey
Xitavo	XO 2556E	E3	PK	2.5	PV,IL,OB,Rey
Xitavo	XO 2777E	E3	M	2.7	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.

Soybean Cyst Nematode (SCN) Resistance Source or Rating

Note: Source of SCN resistance used when available, otherwise older susceptibility ratings are reported.

M	PI 88788 (MR)
PK	Peking (R)
H	Hartwig (R)
B	Blend (PK + M)
MR	moderate resistance
R	resistant
S	susceptible
NA	info unavailable

Soybeans Technologies

E3	Enlist E3®
ST	Sulfonylurea tolerant

Soybeans Seed Treatments*

ACi,SA	Acceleron® Standard Insecticide-Fungicide, Salto®
ACi,SU2,VI	Acceleron® Standard Insecticide-Fungicide, STEPUP 2.0, Victrato®
C3FI,VI,TU,A3	Corteva 3023 Fungicide + Insecticide (C-3023FI), Victrato®, Tri-Up™, Ascend® ST3™, Inoculant
Lum,Lu,lud,il	LumiGen,LumiTreo,Lumiderm,ILVEO HL
PDU,Sa	ProtectDUltra,Salto
PDU,Vt	ProtectDUltra, Victrato
PGVO	Profit Guard Victrato
PV,IL,OB,Rey	Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya®
STXPC 2.0, VI	Stine XP Complete 2.0, Victrato
Treated	Treated, unspecified
Untreated	No seed treatment

* Seed treatments may include unspecified plant health promoting components.