

Test by: M&D Seed Research, LLC Van Buren, IN

2026 Soybeans Top 30 Harvest Report

Indiana North [INNO] VALPARAISO, IN

Herrold Farms, Jeff Herrold, Porter County, IN 46391

Early-Season Test	Maturity Group 2.4 - 2.8 S2026INNO07a
Top 24 of 24	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Corn, Rye Cover Crop / Roundup Powermax, Atrazine
SOIL DESCRIPTION:	Hanna, Tracy sandy loam, well drained, non-irrigated
SOIL CONDITION:	6.34 pH, 2.19% OM, 19.05 CEC, medium P, high K, low S, high B, high Zn
TILLAGE/CULTIVATION:	Minimum W/O Fall Till
CROP PROTECTION:	Roundup Powermax (H), Authority Mtz (H), Enlist One (H), Approach Prima (F), Province II (I)
FERTILITY - Other:	11 Spring
Applied N-P-K (units):	11-0-75
SEEDED - RATE - ROW:	May 12 146.0 /A 30" spacing
HARVESTED - STAND:	Oct 14 133.2 /A
PEST & DISEASE RISK:	SDS, Fusarium, Stem Canker, Brown Stem Rot, Anthracnose of Soybean*

TEST COMMENTS:

This is a uniform site that was planted into a green cover crop during the second week of May. The site never lacked moisture, which was spread out well during the growing season, and it never caused growth stress. The beans were a bit tall and ropey during harvest, with some green stem noted during cutting. The plots still cut well with no lodging noted, dry moistures, and a good field average.

Company/Brand	Product/Brand	Technol.†	RM	SCN Resist.	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Wyckoff	W2790E3 ↗	E3,ST	2.7	PK	77.5	10.5	1	135.7	976	1
Fortus	2846ES ↗	E3,ST	2.8	M	76.1	10.4	1	134.7	959	2
Ebberts	E2800 E3 ↗	E3	2.8	M	75.4	10.5	1	134.7	950	3
Wyckoff	W2695E3 ↗	E3	2.6	M	74.8	10.6	1	135.0	942	4
Xitavo	XO 2556E ↗	E3	2.5	PK	74.0	10.2	1	132.0	932	6
Ebberts	E2610 E3 ↗	E3	2.6	M	73.8	10.4	1	131.7	930	7
FS HiSOY	HS 28E50 ↗	E3	2.8	M	73.8	10.3	1	130.7	930	8
Hoegemeyer	2697E ↗	E3	2.6	PK	73.7	10.7	1	133.3	929	9
Fortus	2775ES ↗	E3,ST	2.7	PK	73.6	10.5	1	135.0	927	10
Wyckoff	W2800E3 ↗	E3	2.8	M	73.4	10.3	1	131.7	925	11
DONMARIO	DM26E26 ↗	E3	2.6	M	73.2	10.8	1	134.7	922	12
Apex	AE2860 ↗	E3	2.8	M	73.0	10.4	1	132.7	920	13
Xitavo	XO 2777E ↗	E3	2.7	M	72.8	10.6	1	133.3	917	14
Wyckoff	W2495E3 ↗	E3	2.4	PK	72.4	10.8	1	132.0	912	15
FS HiSOY	HS 24E60 ↗	E3	2.4	M	72.3	10.6	1	133.0	911	16
Fortus	2417ES ↗	E3,ST	2.4	M	71.8	10.7	1	132.0	905	17
Ebberts	E2501 E3 ↗	E3	2.5	M	71.7	10.5	1	132.7	903	18
FS HiSOY	HS 25E30 ↗	E3	2.5	PK	69.1	10.5	1	133.3	871	19
Connect	CT2526E GC ↗	E3	2.5	PK	69.0	10.4	1	132.7	869	20
FS HiSOY	HS 26E50 ↗	E3	2.6	PK	68.8	10.4	1	131.7	867	21
Wyckoff	W2410E3 ↗	E3	2.4	M	68.4	10.7	1	133.7	862	22
Seed Genetics Direct	ET-5723E3 ↗	E3	2.4	M	63.5	11.0	1	132.3	800	23
Pioneer	P21Z05PE GC ↗	E3	2.1	NA	63.4	10.6	1	132.3	799	24
PIONEER	P28Z30E CK	E3	2.8	M	74.6	10.6	1	135.0	940	5

Matt Turner

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Averages = **72.1** **10.5** **1** **133.2** **908**

LSD (0.10) = 3.9 0.2 ns

LSD (0.25) = 2.0 0.1 ns

C.V. = 5.1

Historic yield: 63.53 bu/a, 7 yr(s)

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.0 Drying = \$0.05 Prices: GMO = \$12.60

Report Date: 10/14/2026

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: M&D Seed Research, LLC Van Buren, IN

2026 Soybeans Top 30 Harvest Report

Indiana North [INNO] VALPARAISO, IN

Herrold Farms, Jeff Herrold, Porter County, IN 46391

Full-Season Test	Maturity Group 2.9 - 3.5 S2026INNO07b
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Corn, Rye Cover Crop / Roundup Powermax, Atrazine
SOIL DESCRIPTION:	Hanna, Tracy sandy loam, well drained, non-irrigated
SOIL CONDITION:	6.34 pH, 2.19% OM, 19.05 CEC, medium P, high K, low S, high B, high Zn
TILLAGE/CULTIVATION:	Minimum W/O Fall Till
CROP PROTECTION:	Roundup Powermax (H), Authority Mtz (H), Enlist One (H), Approach Prima (F), Province II (I)
FERTILITY - Other:	11 Spring
Applied N-P-K (units):	11-0-75
SEDED - RATE - ROW:	May 12 146.0 /A 30" spacing
HARVESTED - STAND:	Oct 14 132.4 /A
PEST & DISEASE RISK:	SDS, Fusarium, Stem Canker, Brown Stem Rot, Anthracnose of Soybean*

TEST COMMENTS:

This is a uniform site that was planted into a green cover crop during the second week of May. The site never lacked moisture, which was spread out well during the growing season, and it never caused growth stress. The beans were a bit tall and ropery during harvest, with some green stem noted during cutting. The plots still cut well with no lodging noted, dry moistures, and a good field average.

Company/Brand	Product/Brand	Technol.†	RM	SCN Resist.	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Wyckoff	W3590E3 ↗	E3,ST	3.4	M	83.6	10.1	1	132.0	1053	1
Xitavo	XO 3555E ↗	E3	3.5	M	81.7	10.2	1	134.3	1029	2
Seed Genetics Direct	ET-3729E3S ↗	E3,ST	2.9	M	81.5	10.2	1	133.0	1027	3
Connect	CT3526E GC ↗	E3	3.5	M	81.0	10.2	1	133.3	1021	4
Fortus	3146E ↗	E3	3.1	M	80.7	10.1	1	132.7	1017	5
FS HiSOY	HS 29E60 ↗	E3	2.9	PK	80.3	10.2	1	132.3	1012	6
Hoegemeyer	3427E ↗	E3	3.3	M	79.8	10.2	1	132.7	1005	7
Great Heart	GT-3470ES ↗	E3,ST	3.4	M	79.5	10.4	1	128.0	1002	8
Ebberts	E3190 E3 ↗	E3	3.1	M	79.3	10.2	1	132.0	999	9
Seed Genetics Direct	ET-6730E3 ↗	E3	3.0	M	79.1	10.2	1	132.7	997	10
FS HiSOY	HS 33E50 ↗	E3	3.3	M	78.6	10.1	1	134.7	990	11
Fortus	3456ES ↗	E3,ST	3.4	M	78.6	10.1	1	132.7	990	12
Ebberts	E3590 E3 ↗	E3,ST	3.4	M	78.5	10.4	1	132.7	989	13
Apex	AE3150 ↗	E3	3.1	M	78.4	10.1	1	130.7	988	14
Connect	CT3126E GC ↗	E3	3.1	M	78.3	10.0	1	131.0	987	15
Apex	AE3070 ↗	E3	3.0	M	78.1	10.1	1	132.0	984	16
Wyckoff	W2900E3 ↗	E3	2.9	M	78.1	9.9	1	133.7	984	17
Seed Genetics Direct	ET-4732E3 ↗	E3	3.2	PK	78.1	10.4	1	131.3	984	18
Xitavo	XO 2926E ↗	E3	2.9	M	78.0	10.0	1	132.0	983	19
Connect	CT2926E GC ↗	E3	2.9	NA	77.7	10.0	1	133.7	979	20
Ebberts	E3302 E3 ↗	E3	3.3	M	77.6	10.1	1	133.0	978	21
Great Heart	GT-3020E ↗	E3	3.0	PK	77.5	10.3	1	136.3	976	23
DONMARIO	DM29E46 ↗	E3	2.9	PK	77.4	10.2	1	132.7	975	24
Wyckoff	W2915E3 ↗	E3	2.9	PK	77.2	10.3	1	131.3	973	25
FS HiSOY	HS 31E60 ↗	E3	3.1	M	77.0	10.1	1	132.3	970	26
Wyckoff	W3000E3 ↗	E3	3.0	PK	76.8	10.3	1	132.7	968	27
Pioneer	P35Z76E GC ↗	E3	3.5	NA	76.8	10.2	1	133.0	968	28
Pioneer	P32Z91E GC ↗	E3	3.2	PK	76.2	10.3	1	131.7	960	29
Seed Genetics Direct	ET-5731E3S ↗	E3,ST	3.0	PK	75.9	10.3	1	130.7	956	30
Wyckoff	W3215E3 ↗	E3	3.2	PK	75.7	10.2	1	135.7	954	31
PIONEER	P28Z30E CK	E3	2.8	M	77.6	10.1	1	133.0	978	22
					Averages =	77.8	10.2	1	132.4	981
					LSD (0.10) =	2.9	0.2	ns		
					LSD (0.25) =	1.5	0.1	ns		
					C.V. =	3.6				
					Historic yield: 63.53 bu/a, 7 yr(s)					

Matt Turner

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Yield & Income Factors:

Base Moisture = 13.0%

Shrink = 1.0

Drying = \$0.05

Prices: GMO = \$12.60

Report Date: 10/14/2026

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Soybeans - Indiana North [INNO]

Weather Conditions Summary at VALPARAISO, IN


Weather Data Retrieved: 10/14/2026




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Soybeans



Above Ground Pest & Disease - Soybeans



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2026 Soybeans - Indiana North [INNO]

Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Apex	AE2860	E3	M	2.8	PDU,Sa
Connect	CT2526E	E3	PK	2.5	ACi
DONMARIO	DM26E26	E3	M	2.6	CMB-APX
Ebberts	E2501 E3	E3	M	2.5	Ebberts
Ebberts	E2610 E3	E3	M	2.6	Ebberts
Ebberts	E2800 E3	E3	M	2.8	Ebberts
Fortus	2417ES	E3,ST	M	2.4	ACi,SU2,VI
Fortus	2775ES	E3,ST	PK	2.7	ACi,SU2,VI
Fortus	2846ES	E3,ST	M	2.8	ACi,SU2,VI
FS HiSOY	HS 24E60	E3	M	2.4	ACi,SA
FS HiSOY	HS 25E30	E3	PK	2.5	ACi,SA
FS HiSOY	HS 26E50	E3	PK	2.6	ACi,SA
FS HiSOY	HS 28E50	E3	M	2.8	ACi,SA
Hoegemeyer	2697E	E3	PK	2.6	Lum,Lu,lud,il
Pioneer	P21Z05PE	E3	NA	2.1	Lum,Lu,lud,il
Pioneer	P28Z30E	E3	M	2.8	Lum, LumT, IL
Seed Genetics Direct	ET-5723E3	E3	M	2.4	Pro Tec S5 plus
Wyckoff	W2410E3	E3	M	2.4	WyK2, VI
Wyckoff	W2495E3	E3	PK	2.4	WyK2, VI
Wyckoff	W2695E3	E3	M	2.6	WyK2, VI
Wyckoff	W2790E3	E3,ST	PK	2.7	WyK2, VI
Wyckoff	W2800E3	E3	M	2.8	WyK2, VI
Xitavo	XO 2556E	E3	PK	2.5	PV,IL,OB,Rey
Xitavo	XO 2777E	E3	M	2.7	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Soybeans - Indiana North [INNO]

Full-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Apex	AE3070	E3	M	3.0	PDU,Sa,Vt
Apex	AE3150	E3	M	3.1	PDU,Sa
Confluence Genetics	X30P878E	E3	NA	3.0	CMB-APX,SA
Connect	CT2926E	E3	NA	2.9	ACi
Connect	CT3126E	E3	M	3.1	ACi
Connect	CT3526E	E3	M	3.5	ACi
DONMARIO	DM29E46	E3	PK	2.9	CMB-APX
Ebberts	E3000 E3	E3	PK	3.0	Ebberts
Ebberts	E3190 E3	E3	M	3.1	Ebberts
Ebberts	E3302 E3	E3	M	3.3	Ebberts
Ebberts	E3590 E3	E3,ST	M	3.4	Ebberts
Fortus	3007E	E3	PK	3.0	ACi,SU2,VI
Fortus	3146E	E3	M	3.1	ACi,SU2,VI
Fortus	3456ES	E3,ST	M	3.4	ACi,SU2,VI
FS HiSOY	HS 29E60	E3	PK	2.9	ACi,SA
FS HiSOY	HS 31E60	E3	M	3.1	ACi,SA
FS HiSOY	HS 33E50	E3	M	3.3	ACi,SA
FS HiSOY	HS 35E50	E3	M	3.5	ACi,SA
Great Heart	GT-3020E	E3	PK	3.0	Gr+
Great Heart	GT-3470ES	E3,ST	M	3.4	Gr+
Hoegemeyer	3427E	E3	M	3.3	Lum,Lu,lud,il
Pioneer	P28Z30E	E3	M	2.8	Lum, LumT, IL
Pioneer	P32Z91E	E3	PK	3.2	Lum,Lu,lud,il
Pioneer	P35Z76E	E3	NA	3.5	Lum,Lu,lud,il
Seed Genetics Direct	ET-3729E3S	E3,ST	M	2.9	Pro Tec S5 plus
Seed Genetics Direct	ET-4732E3	E3	PK	3.2	Pro Tec S5 plus
Seed Genetics Direct	ET-5731E3S	E3,ST	PK	3.0	Pro Tec S5 plus
Seed Genetics Direct	ET-6730E3	E3	M	3.0	Pro Tec S5 plus
Wyckoff	W2900E3	E3	M	2.9	WyK2, VI
Wyckoff	W2915E3	E3	PK	2.9	WyK2, VI
Wyckoff	W3000E3	E3	PK	3.0	WyK2, VI
Wyckoff	W3215E3	E3	PK	3.2	WyK2, VI
Wyckoff	W3590E3	E3,ST	M	3.4	WyK2, VI
Xitavo	XO 2926E	E3	M	2.9	PV,IL,OB,Rey
Xitavo	XO 3297E	E3	M	3.2	PV,IL,OB,Rey
Xitavo	XO 3555E	E3	M	3.5	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.

Soybean Cyst Nematode (SCN) Resistance Source or Rating

Note: Source of SCN resistance used when available, otherwise older susceptibility ratings are reported.

M	PI 88788 (MR)
PK	Peking (R)
H	Hartwig (R)
B	Blend (PK + M)
MR	moderate resistance
R	resistant
S	susceptible
NA	info unavailable

Soybeans Technologies

E3	Enlist E3®
ST	Sulfonylurea tolerant

Soybeans Seed Treatments*

ACi	Acceleron® Standard Insecticide-Fungicide
ACi,SA	Acceleron® Standard Insecticide-Fungicide, Saltro®
ACi,SU2,VI	Acceleron® Standard Insecticide-Fungicide, STEPUP 2.0, Victrato®
CMB-APX	CruiserMaxx® Beans APX
CMB-APX,SA	CruiserMaxx® APX with Saltro®
Ebberts	Ebberts Complete Soybean (Ebberts Field Seeds)
Gr+	Great Start Max Plus (Great Heart Seed)
Lum,Lu,lud,il	LumiGen,LumiTreo,Lumiderm,ILVEO HL
Lum, LumT, IL	LumiGEN™, LumiTreo, ILEVO
PDU,Sa	ProtectDUltra,Saltro
PDU,Sa,Vt	ProtectDUltra,Saltro,Victrato
Pro Tec S5 plus	Seed Genetics Direct
PV,IL,OB,Rey	Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya®
WycK2, VI	WycKOAT 2.0 (WycKoff Hybrids), Victrato®

* Seed treatments may include unspecified plant health promoting components.