

2026 Soybeans Top 30 Region Summary for Minnesota West Central [MNWC]

Early-Season Test

Maturity Group 0.6 - 1.3

S2026MNWCa

Top 24 of 24

For Gross Income (Sorted by Yield), (12) Replication Average

Company/Brand	Product/Brand	Technol.†	RM	SCN	Yield Bu/A	Moisture %	Lodging %	Gross Income \$/Acre	Rank	Albany	Kerkhoven	Lester Prairie	Wheaton
AP SELECT	11E07 ↗	E3	1.1	NA	59.9	12.5	1	734	1	44.2	62.4	73.4	59.8
AP SELECT	10XF6 ↗	RXF	1.0	NA	56.9	12.0	2	697	2	42.8	60.1	61.0	63.8
ASGROW	AG10XF4 GC ↗	RXF	1.0	R	56.8	12.0	1	696	3	41.4	61.1	65.9	59.0
GENESIS	G1260E ↗	E3	1.2	M	56.3	12.2	0	689	4	44.6	59.8	70.8	50.0
GENESIS	G0880E ↗	E3	0.8	M	55.6	12.6	0	681	6	33.5	64.1	70.4	54.7
CONNECT	CT1127E GC ↗	E3	1.1	PK	55.6	12.0	2	682	5	37.9	60.4	72.8	51.4
STINE	07EK31 ↗	E3	0.7	R	55.3	12.6	3	677	7	37.6	59.6	64.5	59.5
AGVENTURE	AV11D4E ↗	E3	1.1	M	55.2	11.8	3	677	8	39.6	63.2	68.8	49.3
HOEGEMEYER	1287E GC ↗	E3	1.2	n/a	55.0	11.8	1	674	9	43.0	60.6	68.6	47.9
APEX	AE1170 ↗	E3	1.1	PK	54.7	12.2	2	670	10	40.2	58.0	64.5	56.2
XITAVO	XO 0806E ↗	E3	0.8	M	54.5	12.1	1	667	11	37.4	58.0	65.5	57.0
APEX	AE0970 ↗	E3	0.9	M	54.2	12.3	2	664	12	36.7	60.5	66.7	52.9
STINE	13EH62 ↗	E3	1.3	M	53.8	11.9	2	659	13	38.0	57.5	62.7	56.9
XITAVO	XO 1372E ↗	E3,ST	1.3	R	53.8	11.8	0	659	14	37.2	64.3	67.1	46.5
HOEGEMEYER	1386E GC ↗	E3	1.3	PK	53.1	12.0	0	649	15	37.1	58.8	61.1	55.3
GENESIS	G1110E ↗	E3	1.1	PK	52.9	12.4	1	647	16	34.3	57.3	64.8	55.1
STINE	11EK39 ↗	E3	1.1	M	52.8	12.2	1	647	17	38.6	52.0	68.0	52.6
XITAVO	XO 0917E ↗	E3	0.9	M	52.8	12.2	1	646	18	34.2	60.1	66.2	50.5
APEX	AE1350 ↗	E3	1.3	M	52.4	12.3	2	641	20	34.7	55.4	64.8	54.6
STINE	08EJ32 ↗	E3	0.8	M	52.0	12.2	0	637	21	37.2	55.2	65.2	50.5
XITAVO	XO 1207E ↗	E3	1.2	PK	50.6	12.2	1	620	22	34.7	58.2	61.0	48.6
XITAVO	XO 1147E ↗	E3	1.1	M	50.1	12.1	0	614	23	35.0	54.4	62.2	48.8
STINE	10EH02 ↗	E3	1.0	M	49.7	12.3	0	608	24	41.7	52.3	58.5	46.2
PIONEER	P09Z31E CK	E3	0.9	NA	52.6	12.0	4	645	19	36.7	59.6	60.4	53.8
Averages =					54.0	12.2	1	662		38.2	58.8	65.6	53.2
LSD (0.10) =					3.2	ns	ns			3.6	3.2	4.7	5.4
LSD (0.25) =					1.7	ns	ns			1.9	1.7	2.4	2.8

Ed Dahle

ed.dahle@firstseedtests.com, (507) 456-6624

Prev. years average yield for region: 49.39 bu/a, 3 yr(s)

Yield & Income Factors:

Base Moisture = 13.0%

Shrink = 1.0

Drying = \$0.05

Prices: GMO = \$12.25

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. [↗](#) Links to product's results at www.firstseedtests.com.

Additional reports available at www.firstseedtests.com

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 10/12/2026

2026 Soybeans Top 30 Region Summary for Minnesota West Central [MNWC]

Full-Season Test

Maturity Group 1.4 - 2.0

S2026MNWCb

Top 30 of 30

For Gross Income (Sorted by Yield), (12) Replication Average

Company/Brand	Product/Brand	Technol.†	RM	SCN	Yield Bu/A ↓	Moisture %	Lodging %	Gross Income \$/Acre	Rank	Albany	Kerkhoven	Lester Prairie	Wheaton
ASGROW	AG16XF5 GC ↗	RXF	1.6	NA	56.0	12.3	5	685	1	42.8	61.0	63.4	56.8
RENK	RS167E ↗	E3	1.6	M	55.9	12.0	5	685	2	49.8	55.3	63.5	55.1
PIONEER	P16Z25E GC ↗	E3	1.6	NA	55.0	11.9	1	674	3	48.0	53.1	62.5	56.4
AGVENTURE	AV18D4E ↗	E3	1.8	PK	54.4	11.9	7	666	4	42.3	56.1	65.0	54.2
PIONEER	P14Z08E GC ↗	E3	1.4	NA	54.3	12.2	3	664	5	46.1	51.5	61.4	58.0
APEX	AE1970 ↗	E3	1.9	PK	54.1	12.2	1	662	6	41.4	63.6	57.5	54.1
AGVENTURE	AV19C3E ↗	E3	1.9	PK	54.1	12.0	1	662	7	45.1	57.4	57.4	56.4
JACOBSEN	J2036E3 ↗	E3	2.0	PK	53.2	12.3	2	651	8	44.2	58.7	53.6	56.3
GENESIS	G1910E ↗	E3	1.9	M	52.7	12.2	3	645	9	42.5	52.6	62.4	53.3
APEX	AE1760 ↗	E3	1.7	M	52.5	12.1	1	644	10	40.9	58.4	58.1	52.8
STINE	18EJ32 ↗	E3	1.8	R	52.3	12.0	2	641	11	39.7	56.8	62.2	50.6
AGVENTURE	AV14B2E ↗	E3	1.4	M	51.6	11.8	2	632	12	40.2	56.6	59.2	50.5
JACOBSEN	J1685E3 ↗	E3	1.6	M	51.5	11.9	4	631	13	45.7	54.6	57.4	48.4
JACOBSEN	J1976E3 ↗	E3	1.9	M	51.5	12.2	1	630	15	44.0	57.1	58.0	46.8
STINE	19EK02 ↗	E3	1.9	M	51.4	12.4	1	628	16	35.3	53.0	60.4	56.8
GENESIS	G1810E ↗	E3	1.8	M	50.9	12.3	2	624	18	37.7	54.2	60.8	51.1
JACOBSEN	J1464E3 ↗	E3	1.4	PK	50.9	11.5	3	624	17	41.0	53.1	55.5	54.1
APEX	AE1870 ↗	E3	1.8	M	50.8	12.4	1	621	21	38.2	53.0	57.0	55.1
CONNECT	CT1825E GC ↗	E3	1.8	PK	50.8	12.2	4	622	19	40.9	53.4	61.4	47.6
DAHLMAN	7618XF ↗	RXF	1.8	M	50.7	11.9	4	621	20	39.8	50.5	60.7	51.8
XITAVO	XO 1837E ↗	E3	1.8	M	50.6	12.2	1	619	22	36.2	63.1	52.4	50.6
STINE	17EJ22 ↗	E3	1.7	M	50.2	11.6	5	615	23	37.5	54.9	61.5	46.9
STINE	19EK20 ↗	E3	1.9	M	50.1	12.0	7	613	24	39.1	53.4	61.7	46.3
JACOBSEN	J1886E3 ↗	E3	1.8	M	50.1	12.3	1	613	25	39.5	52.0	57.4	51.4
AGVENTURE	AV16C3E ↗	E3	1.6	PK	49.3	11.4	2	604	26	42.2	52.3	54.8	48.0
STINE	20EH92 ↗	E3	2.0	M	48.8	12.2	3	597	27	42.3	51.3	51.0	50.6
APEX	AE1650 ↗	E3	1.6	M	47.9	12.2	1	586	28	40.3	51.7	50.4	49.1
XITAVO	XO 1776E ↗	E3	1.7	M	46.9	11.5	4	574	29	37.1	50.4	53.4	46.6
XITAVO	XO 2087E ↗	E3	2.0	M	44.8	11.8	1	548	30	37.1	48.7	46.4	46.9
PIONEER	P09Z31E CK	E3	0.9	NA	51.5	11.8	1	631	14	38.7	57.1	61.3	48.8
Averages =					51.5	12.0	3	630		41.1	54.6	58.4	51.7
LSD (0.10) =					3.0	0.4	3			3.3	3.7	4.1	3.5
LSD (0.25) =					1.6	0.2	1			1.7	1.9	2.2	1.8

Ed Dahle

ed.dahle@firstseedtests.com, (507) 456-6624

Prev. years average yield for region: 49.39 bu/a, 3 yr(s)

Yield & Income Factors:

Base Moisture = 13.0%

Shrink = 1.0

Drying = \$0.05

Prices: GMO = \$12.25

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). *Italicized* brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to product's results at www.firstseedtests.com.

Additional reports available at www.firstseedtests.com

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 10/12/2026

2026 Soybeans - Minnesota West Central [MNWC]

Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
AgVenture	AV11D4E	E3	M	1.1	Lum,Lu,lud,il
Apex	AE0970	E3	M	0.9	C3FI,VI,TU,A3
Apex	AE1170	E3	PK	1.1	C3F,NF,VI
Apex	AE1350	E3	M	1.3	C3FI,VI,TU,A3
AP Select	10XF6	RXF	NA	1.0	Treated
AP Select	11E07	E3	NA	1.1	Treated
Asgrow	AG10XF4	RXF	R	1.0	ACi,IL
Connect	CT1127E	E3	PK	1.1	ACi,IL
Genesis	G0880E	E3	M	0.8	Treated
Genesis	G1110E	E3	PK	1.1	STXPC 2.0, VI
Genesis	G1260E	E3	M	1.2	Treated
Hoegemeyer	1287E	E3	NA	1.2	Lum,Lu,lud,il
Hoegemeyer	1386E	E3	PK	1.3	Lum,Lu,lud,il
Pioneer	P09Z31E	E3	NA	0.9	Untreated
Stine	07EK31	E3	R	0.7	STXPC 2.0, VI
Stine	08EJ32	E3	M	0.8	STXPC 2.0, VI
Stine	10EH02	E3	M	1.0	STXPC 2.0, VI
Stine	11EK39	E3	M	1.1	STXPC 2.0, VI
Stine	13EH62	E3	M	1.3	STXPC 2.0, VI
Xitavo	XO 0806E	E3	M	0.8	PV,IL,OB,Rey
Xitavo	XO 0917E	E3	M	0.9	PV,IL,OB,Rey
Xitavo	XO 1147E	E3	M	1.1	PV,IL,OB,Rey
Xitavo	XO 1207E	E3	PK	1.2	PV,IL,OB,Rey
Xitavo	XO 1372E	E3,ST	R	1.3	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Soybeans - Minnesota West Central [MNWC]

Full-Season Test Products (30 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
AgVenture	AV14B2E	E3	M	1.4	Untreated
AgVenture	AV16C3E	E3	PK	1.6	Untreated
AgVenture	AV18D4E	E3	PK	1.8	Lum,Lu,lud,il
AgVenture	AV19C3E	E3	PK	1.9	Treated
Apex	AE1650	E3	M	1.6	C3FI,VI,TU,A3
Apex	AE1760	E3	M	1.7	C3F,NF,VI
Apex	AE1870	E3	M	1.8	C3FI,VI,TU,A3
Apex	AE1970	E3	PK	1.9	C3F,NF,VI
Asgrow	AG16XF5	RXF	NA	1.6	ACi
Connect	CT1825E	E3	PK	1.8	ACi,IL
Dahlman	7618XF	RXF	M	1.8	C3F,NF,VI
Genesis	G1810E	E3	M	1.8	STXPC 2.0, VI
Genesis	G1910E	E3	M	1.9	STXPC 2.0, VI
Jacobsen	J1464E3	E3	PK	1.4	Treated
Jacobsen	J1685E3	E3	M	1.6	Treated
Jacobsen	J1886E3	E3	M	1.8	Treated
Jacobsen	J1976E3	E3	M	1.9	Treated
Jacobsen	J2036E3	E3	PK	2.0	Treated
Pioneer	P09Z31E	E3	NA	0.9	Untreated
Pioneer	P14Z08E	E3	NA	1.4	Untreated
Pioneer	P16Z25E	E3	NA	1.6	Untreated
Renk	RS167E	E3	M	1.6	Treated
Stine	17EJ22	E3	M	1.7	STXPC 2.0, VI
Stine	18EJ32	E3	R	1.8	STXPC 2.0, VI
Stine	19EK02	E3	M	1.9	STXPC 2.0, VI
Stine	19EK20	E3	M	1.9	STXPC 2.0, VI
Stine	20EH92	E3	M	2.0	STXPC 2.0, VI
Xitavo	XO 1776E	E3	M	1.7	PV,IL,OB,Rey
Xitavo	XO 1837E	E3	M	1.8	PV,IL,OB,Rey
Xitavo	XO 2087E	E3	M	2.0	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.

Soybean Cyst Nematode (SCN) Resistance Source or Rating

Note: Source of SCN resistance used when available, otherwise older susceptibility ratings are reported.

M	PI 88788 (MR)
PK	Peking (R)
H	Hartwig (R)
B	Blend (PK + M)
MR	moderate resistance
R	resistant
S	susceptible
NA	info unavailable

Soybeans Technologies

E3	Enlist E3®
RXF	XtendFlex®
ST	Sulfonylurea tolerant

Soybeans Seed Treatments*

ACi	Acceleron® Standard Insecticide-Fungicide
ACi,IL	Acceleron® Standard Insecticide-Fungicide, ILeVO
C3FI,VI,TU,A3	Corteva 3023 Fungicide + Insecticide (C-3023FI), Victrato®, Tri-Up™, Ascend® ST3™, Inoculant
C3F,NF,VI	C-3023F1, N-Force, Victrato®
Lum,Lu,lud,il	LumiGen,LumiTreo,Lumiderm,ILVEO HL
PV,IL,OB,Rey	Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya®
STXPC 2.0, VI	Stine XP Complete 2.0, Victrato
Treated	Treated, unspecified
Untreated	No seed treatment

* Seed treatments may include unspecified plant health promoting components.