

Test by: M&D Seed Research, LLC Van Buren, IN

2026 Soybeans Top 30 Harvest Report

Ohio Northwest [OHNW] TIFFIN, OH

Synergy Ag, Joe Steyer, Seneca County, OH 44883

All-Season Test	Maturity Group 2.4 - 3.5 S2026OHNW04
Top 30 of 45	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Corn / Explorer, Dual, Atrazine
SOIL DESCRIPTION:	Digby, Kibbie sandy loam, mod. well drained, non-irrigated
SOIL CONDITION:	6.49 pH, 1.95% OM, 9.83 CEC, high P, high K, low S, mod. B, high Zn
TILLAGE/CULTIVATION:	Minimum W/O Fall Till
CROP PROTECTION:	Noventa (H), Glyphosate (H), Metribuzin (H), Enlist One (H), Valor Xt (H), Dual (H)
Applied N-P-K (units):	0-0-0
SEEDING - RATE - ROW:	May 22 140.0 /A 30" spacing
HARVESTED - STAND:	Oct 20 121.5 /A
PEST & DISEASE RISK:	Fusarium, Septoria Brown Spot, Anthracnose of Soybean*

TEST COMMENTS:

This is a very uniform location that is well managed, with good drainage and fertility. These were excellent yields this year, thanks to above-average rains later in the growing season and a lack of heat stress during the summer months. The beans were healthy with good size during harvest. Some green stems were still present throughout the plots, but the beans were dry and shelled well.

Company/Brand	Product/Brand	Technol.†	RM	SCN Resist.	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Ebberts	E2501 E3 ↗	E3	2.5	M	88.2	10.5	1	122.0	1078	1
FS HiSOY	HS 35E50 ↗	E3	3.5	M	87.7	10.3	1	119.3	1072	2
Hoegemeyer	3056E ↗	E3	3.0	M	86.7	10.6	1	121.3	1059	3
Wyckoff	W3215E3 ↗	E3	3.2	PK	84.6	10.4	1	113.3	1034	4
Ebberts	E3302 E3 ↗	E3	3.3	M	84.3	10.3	1	128.3	1030	5
Ebberts	E3000 E3 ↗	E3	3.0	PK	84.3	10.7	1	124.0	1030	6
Xitavo	XO 3555E ↗	E3	3.5	M	83.9	10.2	1	128.7	1025	7
Ebberts	E2800 E3 ↗	E3	2.8	M	83.2	10.3	1	125.7	1017	8
FS HiSOY	HS 33E50 ↗	E3	3.3	M	82.6	10.5	1	127.3	1009	9
Hoegemeyer	3427E ↗	E3	3.3	M	82.4	10.4	1	126.0	1007	10
AGI	5733AE ↗	E3	3.3	M	82.1	10.6	1	125.3	1003	11
Fortus	3456ES ↗	E3,ST	3.4	M	80.9	10.3	1	117.3	989	12
Pioneer	P32Z91E GC ↗	E3	3.2	PK	80.8	10.4	1	128.0	987	13
Connect	CT3126E GC ↗	E3	3.1	M	80.7	10.3	1	127.7	986	14
Pioneer	P35Z76E GC ↗	E3	3.5	NA	80.7	10.1	1	124.7	986	15
Ebberts	E3190 E3 ↗	E3	3.1	M	80.6	10.4	1	124.3	985	16
Hoegemeyer	3087E ↗	E3	3.0	M	80.4	10.4	1	121.0	982	17
AGI	4727AE ↗	E3	2.7	PK	80.1	10.4	1	124.7	979	18
Fortus	2846ES ↗	E3,ST	2.8	M	80.0	10.2	1	125.7	978	19
AGI	5735AE ↗	E3	3.5	M	79.8	10.3	1	112.0	975	20
FS HiSOY	HS 28E50 ↗	E3	2.8	M	79.7	10.2	1	125.3	974	21
Wyckoff	W2695E3 ↗	E3	2.6	M	79.6	10.4	1	128.3	973	22
Wyckoff	W2900E3 ↗	E3	2.9	M	79.4	10.3	1	126.3	970	23
AGI	6730AE ↗	E3	3.0	M	79.4	10.6	1	115.3	970	24
Fortus	3007E ↗	E3	3.0	PK	79.2	10.8	1	128.3	968	25
Pioneer	P31Z03E GC ↗	E3	3.1	M	79.1	10.2	1	109.0	967	26
Wyckoff	W2915E3 ↗	E3	2.9	PK	79.1	10.5	1	119.3	967	27
FS HiSOY	HS 26E50 ↗	E3	2.6	PK	78.7	10.2	1	114.0	962	28
Ebberts	E2610 E3 ↗	E3	2.6	M	78.7	10.5	1	126.0	962	29
Connect	CT2725E GC ↗	E3	2.7	PK	78.5	10.4	1	127.3	959	30

Matt Turner

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Averages = **79.5** **10.4** **1** **121.5** **971**

LSD (0.10) = 4.7 0.2 ns

LSD (0.25) = 2.5 0.1 ns

C.V. = 5.7

Historic yield: 65.82 bu/a, 9 yr(s)

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.0 Drying = \$0.05 Prices: GMO = \$12.22

Report Date: 10/20/2026

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.


©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Soybeans - Ohio Northwest [OHNW]

Weather Conditions Summary at TIFFIN, OH

Weather Data Retrieved: 10/20/2026


Monthly Total	May*	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in.) (Diff)	2.7 1.7 (+1.0)	3.1 3.5 (-0.4)	3.0 2.7 (+0.3)	5.1 3.1 (+2.0)	2.4 1.4 (+1.0)	1.5 0.6 (+0.9)	17.9 13.0 (+4.9)
GDU Avg (Diff)	283 319 (-36)	598 641 (-43)	750 777 (-27)	674 705 (-31)	538 519 (+18)	228 197 (+30)	3071 3161 (-90)




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Soybeans



Above Ground Pest & Disease - Soybeans



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2026 Soybeans - Ohio Northwest [OHNW]

All-Season Test Products (45 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
AGI	4723AE	E3	PK	2.4	SRS
AGI	4727AE	E3	PK	2.7	SRS
AGI	4731AE	E3	M	3.1	SRS
AGI	5725AE	E3	M	2.5	SRS
AGI	5733AE	E3	M	3.3	SRS
AGI	5735AE	E3	M	3.5	SRS
AGI	6727AE	E3	M	2.7	SRS
AGI	6730AE	E3	M	3.0	SRS
Connect	CT2725E	E3	PK	2.7	ACi
Connect	CT3126E	E3	M	3.1	ACi
Ebberts	E2501 E3	E3	M	2.5	Ebberts
Ebberts	E2610 E3	E3	M	2.6	Ebberts
Ebberts	E2800 E3	E3	M	2.8	Ebberts
Ebberts	E3000 E3	E3	PK	3.0	Ebberts
Ebberts	E3190 E3	E3	M	3.1	Ebberts
Ebberts	E3302 E3	E3	M	3.3	Ebberts
Ebberts	E3590 E3	E3,ST	M	3.4	Ebberts
Fortus	2417ES	E3,ST	M	2.4	ACi,SU2,VI
Fortus	2775ES	E3,ST	PK	2.7	ACi,SU2,VI
Fortus	2846ES	E3,ST	M	2.8	ACi,SU2,VI
Fortus	3007E	E3	PK	3.0	ACi,SU2,VI
Fortus	3146E	E3	M	3.1	ACi,SU2,VI
Fortus	3456ES	E3,ST	M	3.4	ACi,SU2,VI
FS HiSOY	HS 24E60	E3	M	2.4	ACi,SA
FS HiSOY	HS 25E30	E3	PK	2.5	ACi,SA
FS HiSOY	HS 26E50	E3	PK	2.6	ACi,SA
FS HiSOY	HS 28E50	E3	M	2.8	ACi,SA
FS HiSOY	HS 29E60	E3	PK	2.9	ACi,SA
FS HiSOY	HS 31E60	E3	M	3.1	ACi,SA
FS HiSOY	HS 33E50	E3	M	3.3	ACi,SA
FS HiSOY	HS 35E50	E3	M	3.5	ACi,SA
Hoegemeyer	2905E	E3	PK	2.9	Treated
Hoegemeyer	3056E	E3	M	3.0	Treated
Hoegemeyer	3087E	E3	M	3.0	Treated
Hoegemeyer	3185E	E3	M	3.1	Treated
Hoegemeyer	3427E	E3	M	3.3	Treated

Company/Brand	Brand/Product	Technology	SCN	RM	Seed Treat.
Pioneer	P28Z30E	E3	M	2.8	Lum,Lu,lud,il
Pioneer	P31Z03E	E3	M	3.1	Lum,Lu,lud,il
Pioneer	P32Z91E	E3	PK	3.2	Lum,Lu,lud,il
Pioneer	P35Z76E	E3	NA	3.5	Lum,Lu,lud,il
Wyckoff	W2695E3	E3	M	2.6	WyK2, VI
Wyckoff	W2900E3	E3	M	2.9	WyK2, VI
Wyckoff	W2915E3	E3	PK	2.9	WyK2, VI
Wyckoff	W3215E3	E3	PK	3.2	WyK2, VI
Xitavo	XO 3555E	E3	M	3.5	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.

Soybean Cyst Nematode (SCN) Resistance Source or Rating

Note: Source of SCN resistance used when available, otherwise older susceptibility ratings are reported.

M	PI 88788 (MR)
PK	Peking (R)
H	Hartwig (R)
B	Blend (PK + M)
MR	moderate resistance
R	resistant
S	susceptible
NA	info unavailable

Soybeans Technologies

E3	Enlist E3®
ST	Sulfonylurea tolerant

Soybeans Seed Treatments*

ACi	Acceleron® Standard Insecticide-Fungicide
ACi,SA	Acceleron® Standard Insecticide-Fungicide, Saltro®
ACi,SU2,VI	Acceleron® Standard Insecticide-Fungicide, STEPUP 2.0, Victrato®
Ebberts	Ebberts Complete Soybean (Ebberts Field Seeds)
Lum,Lu,lud,il	LumiGen,LumiTreo,Lumiderm,ILVEO HL
PV,IL,OB,Rey	Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya®
SRS	Surestand
Treated	Treated, unspecified
WyK2, VI	WycKOAT 2.0 (Wyckoff Hybrids), Victrato®

* Seed treatments may include unspecified plant health promoting components.